Phone:+86-18057720590





Disposable Paper Cup Machine

This Yongbo Machinery® Disposable paper cup machine adopts automatic oil lubrication system(oil circulation system is including oil motor, filter, copper pipe) which makes all gear moving parts working at high speed much more smoothly and greatly Improve the service life of spare parts. This machine Control panel with good quality switches, temperature controller and speed converter. All the operation of machine can be finished easily by this panel.

Model:YB-S100

Yongbo Machinery Disposable Paper Cup Machine Introduction

This Yongbo Machinery® **Disposable Paper Cup Machine** is the new design adds a bottom heating system more than the old design which make the paper cup sealing effect is more better. This model is equipped with 10 Cup molds, which operates faster than the old 8 Cup molds. The steel plate presses the bottom paper to make the paper feeding more stablyand smoothly. Two cooling fans, two fans can make the paper fan cooling faster, make the cup fan better sealing

Yongbo Machinery Disposable Paper Cup Machine Parameter (Specification)

| Model | | High Speed Simple Model Ultrasonic Paper Cup Machine YB-S100 | | | | | |
|----------------|-------|--|--|--|--|--|--|
| Paper Cup Size | | 2 - 12 OZ (Mould Exchangeable, Max Cup Height: 115mm, Max | | | | | |
| | | Bottom Width: 75mm) | | | | | |
| Rated Speed | | 100- 110pcs | | | | | |
| | | / Min (Speed Affected By Cup Size, Paper Quality | | | | | |
| | | Thickness) | | | | | |
| Raw Material | | One Or Two Side PE Coated Paper (Popular For Hot And Cold Drink | | | | | |
| | | Cups) | | | | | |
| Suitable | Paper | 150-350gsm | | | | | |
| Weight | | | | | | | |

Ruian Yongbo Machinery Co., Ltd Tel:+86-577-65655975

E-mail:sales1@yongbomachinery.com



www.yongbomachinery.com

| Paper | Source | 50/60HZ,380V/220V | | | | |
|-----------------------------------|--------|-------------------|--------------|-------|-------|--|
| Total | Power | 5KW | | | | |
| Total | Weight | 2500KG | | | | |
| Pacl Size(L*W*H) | | 2200*1350*1900mm | (Machine | Size) | | |
| | | 900*700*2100mm | (Collecting | Table | Size) | |
| Cup Side WeldingUltrasonic Heater | | | | | | |

Yongbo Machinery Disposable Paper Cup Machine Feature And Application



This **Disposable Paper Cup Machine** Control panel with good quality switches, temperature controller and speed converter. All the operation of machine can be finished easily by this panel.

This **Disposable Paper Cup Machine** new design adds a bottom heating system more than the old design which make the paper cup sealing effect is more better.


3. This **Disposable Paper Cup Machine** operation board is large and thick integrated steel board, more durable and easy to clean.

Yongbo Machinery Disposable Paper Cup Machine Details

Ruian Yongbo Machinery Co., Ltd Tel: +86-577-65655975 E-mail:sales1@yongbomachinery.com

Phone:+86-18057720590





1. The whole **Disposable Paper Cup Machine** adopts automatic oil lubrication system(oil circulation system is including oil motor, filter, copper pipe) which makes all gear moving parts working at high speed much more smoothly and greatly Improve the service life of spare parts.



2. This **Disposable Paper Cup Machine** is independently developed by Yongbo Machinery, it can produce paper cups of different sizes through a series of continuous Ruian Yongbo Machinery Co., Ltd Phone: +86-18057720590

Tel:+86-577-65655975

E-mail:sales1@yongbomachinery.com



Phone: +86-18057720590



processes, including more than 2 times of automatic paper feeding, paper anti-return device (to ensure accurate positioning), ultrasonic welding, using magic Hand conveyed paper fan, lubricated with silicone oil, punched at the bottom, folded at the bottom, preheated at the bottom, knurled at the bottom, and out of the cup. After comprehensive technical improvement, the machine stability has been improved.

3. The **Disposable Paper Cup Machine** steel plate presses the bottom paper to make the paper feeding more stablyand smoothly.